### DUAL DIAGNOSIS CAPABILITY IN MENTAL HEALTH TREATMENT (DDCMHT) VERSION 3.2

(Gotham, H. J., Brown, J. L., Comaty, J. E., & McGovern, M. P.)

RATING SCALE COVER SHEET

| Program Identification  | 40  |  |  |
|---|---|--|--|
| Date: Rater   | (s):  |  | Time Spent (Hours):  |
| Agency Name:  |   |  |  |
| Program Name:   |   |  |  |
| Address:  |   |  |  |
| Contact Person: 1)  |   | ; 2)   |  |
| Telephone:  | ; FAX:  | ; Email:   |  |
|   |   |  | follow-up; 3= 2 <sup>nd</sup> follow-up; 4= 4 <sup>th</sup> follow-up; etc)          |
| Program Characteristics   |   |  |  |
| Payments received (program):  Self-pay Private health insurance Medicaid Medicare State financed insurance Military insurance Other funding sources: Other public funds Other funds | Primary focus of agency: Addiction treatment servicesMental health servicesMix of addiction & MH servicesGeneral health servicesHospital  Size of Program:# of admissions/last fiscal yearCapacity (highest # servable)Average length of stay (in days)Planned length of stay (in days)# of unduplicated clients/year | Agency type:  Private Public Non-Profit For-Profit Government operated Veterans Health Admin.  Level of care: ASAM-PPC-2R (Addiction): I. Outpatient II. IOP/Partial Hospital III. Residential/Inpatient IV. Medically Managed Into OMT: Opioid Maintenance D: Detoxification  Mental Health: Outpatient Partial hospital/Day progra |  |
| DDCAT assessment sources  | Chart Review: Agency broch  | nure review: Program manual re   | eview; Team meeting observation;   |
| Total # of sources used:  |   | serve group/individual session:;;;   | Interview with Program Director:  Interview with other service providers; Site tour. |

# DUAL DIAGNOSIS CAPABILITY IN MENTAL HEALTH TREATMENT PROGRAMS (DDCMHT) VERSION 3.2 RATING SCALE

|                         | 1                        | 2                          | 3                           | 4                         | 5                          |
|-------------------------|--------------------------|----------------------------|-----------------------------|---------------------------|----------------------------|
| I DD C CD LL CHEDIT CHE | MHOS                     |                            | DDC                         |                           | DDE                        |
| I. PROGRAM STRUCT       |                          |                            |                             |                           | I                          |
| IA. Primary focus of    | Mental Health Only       |                            | Primary focus is mental     |                           | Primary focus on           |
| agency as stated in the |                          |                            | health, co-occurring        |                           | persons with co-           |
| mission statement       |                          |                            | disorders are treated       |                           | occurring disorders.       |
| (If program has         |                          |                            |                             |                           |                            |
| mission, consider       |                          |                            |                             |                           |                            |
| program mission)        |                          |                            |                             |                           |                            |
| IB. Organizational      | Permits only mental      | Has no actual barrier, but | Has no barrier to           |                           | Is certified and/or        |
| certification &         | health treatment         | staff report there to be   | providing addiction         |                           | licensed to provide both   |
| licensure.              |                          | certification or licensure | treatment or treating co-   |                           |                            |
|                         |                          | barriers.                  | occurring disorders         |                           |                            |
|                         |                          |                            | within the context of       |                           |                            |
|                         |                          |                            | mental health treatment     |                           |                            |
| IC. Coordination and    | No document of formal    | Vague, undocumented,       | Formalized and              | Formalized coordination   | Most services are          |
| collaboration with      | coordination or          | or informal relationship   | documented                  | & collaboration, and the  | integrated within the      |
| addiction services.     | collaboration. Meets the | with addiction agencies,   | coordination or             | availability of case      | existing program, or       |
|                         | SAMHSA definition of     | or consulting with a staff | collaboration with          | management staff, or      | routine use of case        |
|                         | minimal Coordination.    | member from that           | addiction agency. Meets     | staff exchange programs   | management staff or        |
|                         |                          | agency. Meets the          | the SAMHSA definition       | (variably used) Meets the | staff exchange programs.   |
|                         |                          | SAMHSA definition of       | of Collaboration.           | SAMHSA definition of      | Meets the SAMHSA           |
|                         |                          | Consultation.              |                             | Collaboration and has     | definition of Integration. |
|                         |                          |                            |                             | some informal             |                            |
|                         |                          |                            |                             | components consistent     |                            |
|                         |                          |                            |                             | with Integration.         |                            |
| ID E                    | 0 11710                  | 0 111716                   | 0 1316 11                   |                           | 0 1316 133                 |
| ID. Financial           | Can only bill for mental | Could bill for either      | Can bill for either service |                           | Can bill for addiction or  |
| incentives.             | health treatments or for | service type if mental     | type, however, mental       |                           | mental health treatments,  |
|                         | persons with mental      | health disorder is         | health disorder must be     |                           | or the combination         |
|                         | health disorders.        | primary, but staff report  | primary.                    |                           | and/or integration.        |
|                         |                          | there to be barriers. –    |                             |                           |                            |
|                         |                          | OR- Partial                |                             |                           |                            |
|                         |                          | reimbursement for          |                             |                           |                            |
|                         |                          | addiction services         |                             |                           |                            |
|                         |                          | available                  |                             |                           |                            |
|                         |                          |                            |                             |                           |                            |

|                        | 1                        | 2                       | 3                        | 4                          | 5                        |  |
|------------------------|--------------------------|-------------------------|--------------------------|----------------------------|--------------------------|--|
|                        | MHOS                     |                         | DDC                      |                            | DDE                      |  |
| II. PROGRAM MILIEU     | II. PROGRAM MILIEU       |                         |                          |                            |                          |  |
| IIA. Routine           | Expect mental health     | Documented to expect    | Expect mental health     | Program formally           | Clinicians and program   |  |
| expectation of and     | disorders only, refer or | mental health disorders | disorders, and, with     | defined like DDC but       | expect and treat both    |  |
| welcome to treatment   | deflect persons with     | only (e.g. admission    | documentation, accepts   | clinicians and program     | disorders, well          |  |
| for both disorders     | substance use disorders  | criteria, target        | substance use disorders  | informally expects and     | documented.              |  |
|                        | or symptoms.             | population), but have   | by routine and if mild   | treats both disorders, not |                          |  |
|                        |                          | informal procedure to   | and relatively stable.   | well documented.           |                          |  |
|                        |                          | allow some persons with |                          |                            |                          |  |
|                        |                          | substance use disorders |                          |                            |                          |  |
|                        |                          | to be admitted.         |                          |                            |                          |  |
| IIB. Display and       | Mental health only       | Available for both      | Available for both       | Available for both         | Available for the        |  |
| distribution of        |                          | disorders but not       | mental health and        | mental health &            | interaction between both |  |
| literature and patient |                          | routinely offered or    | substance use disorders  | substance use disorders    | mental health and        |  |
| educational materials. |                          | formally available.     | but distribution is less | with equivalent            | substance use disorders. |  |
|                        |                          |                         | for substance use        | distribution.              |                          |  |
|                        |                          |                         | disorders.               |                            |                          |  |

|  | 1   | 2  | 3  | 4   | 5  |
|--|---|--|--|---|--|
|  | MHOS  | _  | DDC  | ·   | DDE  |
| III. CLINICAL PROCE  |   |  |  | 1   | <u> </u>   |
| IIIA. Routine<br>screening methods for<br>substance use  | Pre-admission screening based on patient self-report. Decision based on clinician inference from patient presentation or history. | Pre-admission screening for substance use & treatment history prior to admission.  | Routine set of standard interview questions for substance use using generic framework (e.g. ASAM-PPC Dim. I & V, LOCUS Dim. III) or "Biopsychosocial" data collection. | Screen for substance use using standardized or formal instruments with established psychometric properties.                       | Standardized or formal instruments for both mental health and substance use disorders with established psychometric properties.                                  |
| IIIB. Routine<br>assessment if screened<br>positive for substance<br>use                       | Ongoing monitoring for appropriateness or exclusion from program  | More detailed<br>biopsychosocial<br>assessment, history of<br>substance use and<br>treatments, each clinician<br>driven. | Increased capacity to access (not necessarily inhouse) substance use assessments, although not standardized or routine.  | Formal substance use assessment, if necessary, typically occurs (in-house).   | Standardized or formal integrated assessment is routine in all cases.  |
| IIIC. Psychiatric and substance use diagnoses made and documented.                             | Substance use disorder diagnoses are not made or recorded   | Substance use disorder diagnostic impressions made and recorded variably.  | Substance use disorder diagnosis variably recorded in chart (i.e., less than 40% of the time).   | Substance use disorder diagnosis more frequently recorded but inconsistently (i.e., more than 40% but less than 90% of the time). | Standard & routine substance use disorder diagnoses consistently made.   |
| IIID. Psychiatric and<br>substance use history<br>reflected in medical<br>record.              | Collection of mental health history only.   | Standard form collects<br>mental health history<br>only. Substance use<br>disorder history collected<br>inconsistently.  | Routine documentation<br>of both mental health<br>and substance use<br>disorder history in record<br>in narrative section.   | Specific section in record dedicated to history and chronology of course of both disorders.                                       | Specific section in record<br>devoted to history and<br>chronology of course of<br>both disorders and the<br>interaction between them<br>is examined temporally. |
| IIIE. Program acceptance based on substance use disorder symptom acuity: low, moderate, high.  | Admits persons with no to low acuity.   |  | Admits persons in program with low to moderate acuity, but who are primarily stable.   |   | Admits persons in program with moderate to high acuity, including those unstable in their substance use disorder.  |
| IIIF. Program acceptance based on severity of persistence and disability: low, moderate, high. | Admits persons in program with no to low severity of persistence of disability  |  | Admits persons in program with low to moderate severity.   |   | Admits persons in program with moderate to high severity   |
| IIIG. Stage-wise assessment.   | Not assessed or documented.   | Assessed & documented variably by individual clinician   | Clinician assessed and<br>routinely documented,<br>focused on mental health<br>motivation for treatment  | Formal measure used and routinely documented but focusing on mental health motivation for treatment only.                         | Formal measure used and routinely documented, focus on both substance use and mental health motivation for treatment.  |

|                       | 1                        | 2  | 3                                    | 4                                       | 5  |
|-----------------------|--------------------------|--|--------------------------------------|---|--|
| THE OF THE OFF        | MHOS                     |  | DDC                                  |   | DDE  |
| IV. CLINICAL PROCE    |                          | 1  | T =                                  | T                                       |  |
| IVA. Treatment plans. | Address mental health    | Variable by individual                         | Mental health disorders              | Systematic focus is                     | Address both as primary,                     |
|                       | only (addiction not      | clinician                                      | addressed as primary,                | available but variably                  | both listed in plan                          |
|                       | listed)                  |  | substance use disorders as secondary | used.                                   | consistently.                                |
| IVB. Assess and       | No attention to or       | Variable reports of                            | Clinical focus in narrative          | Systematic focus is                     | Clear, detailed, and                         |
| monitor interactive   | documentation of         | progress on substance                          | (treatment plan or                   | available but variably                  | systematic focus on                          |
| courses of both       | progress with substance  | use disorders by                               | progress note) on                    | used.                                   | change in both substance                     |
| disorders.            | use disorders            | individual clinicians.                         | substance use disorder               |   | use and mental health                        |
|                       |                          |  | change                               |   | disorders.                                   |
| IVC. Procedures for   | No guidelines conveyed   | Verbally conveyed in-                          | Documented guidelines:               |   | Routine capability, or a                     |
| intoxicated/high      | in any manner.           | house guidelines.                              | Referral or collaborations           |   | process to ascertain risk                    |
| clients, relapse,     |                          |  | (to local substance abuse            |   | with ongoing psychiatric                     |
| withdrawal, or active |                          |  | treatment agency, detox,             |   | symptoms: Maintain in                        |
| users.                |                          |  | or E/R)                              |   | program unless                               |
|                       |                          |  |                                      |   | alternative placement                        |
|                       |                          |  |                                      |   | (i.e., detox, commitment)                    |
|                       |                          |  |                                      |   | based on acute risk is                       |
| TVD 0                 |                          |  |                                      |   | warranted                                    |
| IVD. Stage-wise       | Not assessed or explicit | Stage or motivation                            | Stage or motivation                  | Stage or motivation                     | Stage or motivation                          |
| treatment             | in treatment plan.       | documented variably by individual clinician in | routinely incorporated               | routinely incorporated                  | routinely incorporated                       |
|                       |                          |  | into individualized plan,            | into individualized plan                | into individualized plan,                    |
|                       |                          | treatment plan.                                | but no specific stage-wise           | and general awareness of                | and formally prescribed                      |
|                       |                          |  | treatments.                          | adjusting treatments by                 | and delivered stage-wise treatments for both |
|                       |                          |  |                                      | individual stage of readiness on mental | substance use and mental                     |
|                       |                          |  |                                      | health motivation for                   | health issues.                               |
|                       |                          |  |                                      |   | Health issues.                               |
|                       |                          |  |                                      | treatment only.                         |  |

|   | 3.677.00   |   | 3   | 4  | 5   |
|---|--|---|---|--|---|
|   | MHOS   |   | DDC   |  | DDE   |
| IV. CLINICAL PROCESS  | S: TREATMENT (contin   | nued)   |   |  |   |
| procedures for evaluation, management, monitoring and compliance for/of medications for | No capacities to monitor, guide or provide medications related to substance use disorders. Patients with active substance use are routinely not accepted into treatment. | Certain types of meds<br>may be prescribed for<br>substance use disorders<br>and some capacity to<br>monitor medications<br>related to substance use.<br>Variable by provider | Present, coordinated policies regarding medications for substance use disorders. Some types of medications are routinely available. Monitoring of the medication is largely provided by the prescriber.   | Present, coordinated policies regarding medications for substance use disorders. The prescriber might more regularly consult with other staff regarding medication plan and recruit other staff to assist with medication monitoring | Present, coordinated policies regarding all types of medications for substance use disorders. There is access to a provider with these specialties on the treatment team.   |
| interventions with addiction content.   | Not addressed in program content  No   | Based on judgment by individual clinician; Irregular penetration into routine services  Variably  | In program format as generalized intervention. More regular penetration into routine services. Routine clinician adaptation of an evidence-based mental health treatment (e.g., ACT, CBT, IPT, IM&R, PSR)  Present in generic format and content, and delivered in individual and/or group formats. | Some specialized interventions by specifically trained clinicians in addition to routine generalized interventions.  | Routine addiction symptom management groups; Individual therapies focused on specific disorders; Systematic adaptation of an evidence-based mental health treatment (e.g., ACT, CBT, IDDT, IPT, IM&R, PSR)  Present specific content for specific disorder comorbidities, and delivered in individual and/or group formats. |

|  | 1<br>MHOS  | 2   | 3<br>DDC   | 4  | 5<br>DDE   |  |  |
|--|--|---|--|--|--|--|--|
| IV. CLINICAL PROCE   | IV. CLINICAL PROCESS: TREATMENT (continued)  |   |  |  |  |  |  |
| IVH. Family education and support.   | For mental health disorders only   | Variably or by individual clinical judgment   | Substance use issues regularly but informally incorporated into family education or support sessions. Available as needed.   | Generic group on site for families on substance use and mental health issues variably offered. Structured group with more routine accessibility                                    | Routine and systematic co-occurring disorder family group integrated into standard program format. Accessed by the majority of families with co-occurring disorder family member                                 |  |  |
| IVI. Specialized interventions to facilitate use of peer support groups in planning or during treatment. | None used to facilitate<br>either use of addiction or<br>mental health peer<br>support | Used variably or infrequently by individual clinicians, for individual patients, mostly for facilitation of mental health peer support groups | Present, generic format<br>on site, but no specific or<br>intentional facilitation<br>based on addiction. More<br>routine facilitation of<br>traditional mental health<br>peer support groups<br>(e.g., NAMI, Procovery) | Present but variable facilitation to peer support groups targeting specific addiction issues, either to traditional peer support groups or those specific to both (e.g. DRA, DTR). | Routine & specific to<br>need of co-occurring,<br>special programs on site,<br>routinely targeted to<br>specific issues, either to<br>traditional peer support<br>or groups specific to<br>both (e.g. DRA, DTR). |  |  |
| IVJ. Availability of peer recovery supports for patients with CODs.                                      | Not present, or if present not recommended.  | Off site, recommended variably  | Present, off site and facilitated with contact persons or informal matching with peer supports in the community, some cooccurring focus.   | Present, off site, integrated into plan, and routinely documented with co-occurring focus.   | Present, on site, facilitated and integrated into program (e.g. alumni groups); Routinely used and documented with co-occurring focus.   |  |  |

|  | 1  | 2  | 3   | 4  | 5   |
|--|--|--|---|--|---|
|  | MHOS   |  | DDC   |  | DDE   |
| V. CONTINUITY OF C   | CARE   |  |   |  | ,   |
| VA. Co-occurring disorder addressed in discharge planning process.   | Not addressed  | Variably addressed by individual clinicians.   | Co-occurring disorder systematically addressed as secondary in planning process for off site referral.  |  | Both disorders seen as primary, and plans made and insured, on site, or by arrangement - off site, at least 80% of the time.  |
| VB. Capacity to maintain treatment continuity.   | No mechanism for managing ongoing care of addiction needs when mental health treatment program is completed or the person is scheduled to move to another level of care. | No formal protocol to manage addiction needs once program is completed or the person is scheduled to move to another level of care, but some individual clinicians may provide extended care until appropriate linkage takes place; Variable documentation | No formal protocol to manage addiction needs once program is completed or the person is scheduled to move to another level of care, but when indicated, most individual clinicians provide extended care until appropriate linkage takes place; Routine documentation | Formal protocol to manage addiction needs indefinitely or until appropriate linkage takes place, but variable documented evidence that this is routinely practiced, typically within the same program or agency. | Formal protocol to manage addiction needs indefinitely or until appropriate linkage takes place and consistent documented evidence that this is routinely practiced, typically within the same program or agency. |
| VC. Focus on ongoing recovery issues for both disorders.   | No   | Individual clinician determined.   | Routine focus is on recovery from mental health disorders, addiction issues are viewed as potential relapse issues only.  |  | Routine focus on<br>addiction recovery and<br>mental illness<br>management and<br>recovery, both seen as<br>primary and ongoing.  |
| VD. Facilitation of peer support groups for co-occurring disorders is documented and a focus in discharge planning, and connections are insured to community peer recovery support groups. | No   | Rarely, but addressed by individual clinicians   | Yes, variable, but not routine or systematic, focus on co-occurring disorders peer support community connection (engagement in meetings or functions off-site)  |  | Yes, routine and systematic, at least 80% of the time with focus on co-occurring disorders peer support community connection (engagement in meetings or functions off-site).                                      |
| VE. Sufficient supply<br>and compliance plan<br>for substance abuse<br>related medications<br>(see IVE) is<br>documented.  | No medications in plan.  | Sometimes can be provided. Variable by provider  | Yes, short-term supply to next appointment offsite.   |  | Maintains medication<br>management in program<br>with provider for longer-<br>term as needed.   |

|                               | 1                          | 2                        | 3  | 4   | 5                           |
|-------------------------------|----------------------------|--------------------------|--|---|-----------------------------|
|                               | MHOS                       |                          | DDC  |   | DDE                         |
| VI. STAFFING                  |                            |                          |  |   |                             |
| VIA. Psychiatrist or          | No formal relationship     | Consultant or contractor | Consultant or contractor                           | Staff member, present on                      | Staff member, present on    |
| other physician or            | with a prescriber for this | off site.                | on site.   | site for clinical matters                     | site for clinical,          |
| prescriber of                 | program.                   |                          |  | only  | supervision, treatment      |
| pharmacological               |                            |                          |  |   | team, and/or                |
| therapies for addiction.      |                            |                          |  |   | administration.             |
|                               | 27 6 1 1 1 1               | 4.240/ 6.11: 1.66        | 27 220/ 6 11 1 66                                  | 24 4004 6 11 1 1 66                           | 500/                        |
| VIB. On site staff with       | No formal relationship     | 1-24% of clinical staff  | 25-33% of clinical staff                           | 34-49% of clinical staff                      | 50% or more of clinical     |
| substance abuse               | with program.              | members.                 | members.   | members.                                      | staff members.              |
| licensure, certification,     |                            |                          |  |   |                             |
| or competency. VIC. Access to | No                         | Yes, off site by         | Yes, on site supervision                           | V it iii-                                     | Yes, on site, documented    |
| substance abuse               | NO                         | consultant,              | provided PRN.                                      | Yes, on site supervision. Provided regularly. | regular supervision         |
| supervision or                |                            | undocumented.            | Informal process.                                  | Irregular documentation.                      | sessions for clinical       |
| consultation.                 |                            | undocumented.            | illioilliai piocess.                               | inegulai documentation.                       | matters.                    |
| VID. Case review,             | No                         | Variable, by off site    | Yes, on site, documented                           |   | Yes. Documented,            |
| staffing or utilization       |                            | consultant,              | as needed (PRN) and                                |   | routine and systematic      |
| review procedures             |                            | undocumented.            | with co-occurring                                  |   | coverage of co-occurring    |
| emphasize and                 |                            |                          | disorder issues.                                   |   | issues.                     |
| support co-occurring          |                            |                          |  |   |                             |
| disorder treatment.           |                            |                          |  |   |                             |
|                               |                            |                          |  |   |                             |
| VIE. Peer/Alumni              | No                         |                          | Present, but as part of                            |   | Present, on site, either as |
| supports are available        |                            |                          | community, and                                     |   | paid staff, volunteers, or  |
| with co-occurring             |                            |                          | routinely available to                             |   | routinely available         |
| disorders.                    |                            |                          | program patients, either                           |   | program "alumni".           |
|                               |                            |                          | thru informal                                      |   |                             |
|                               |                            |                          | relationships or more                              |   |                             |
|                               |                            |                          | formal connections such                            |   |                             |
|                               |                            |                          | as thru peer support                               |   |                             |
|                               |                            |                          | service groups (e.g. AA hospital and institutional |   |                             |
|                               |                            |                          | committees; NAMI)                                  |   |                             |
|                               |                            |                          | commutees; NAMI)                                   |   |                             |
|                               |                            |                          |  |   |                             |

|  | 1                               | 2   | 3   | 4   | 5   |
|--|---------------------------------|---|---|---|---|
|  | MHOS                            |   | DDC   |   | DDE   |
| VII. TRAINING  |                                 |   |   |   |   |
| VIIA. Direct care staff members have basic training in prevalence, common signs & symptoms, screening and assessment for substance use symptoms and disorders.   | Not trained in basic skills.    | Variably trained, not documented as part of systematic training plan, but encouraged by management. | Trained in basic skills per agency strategic training plan. | Trained in these skills per agency strategic training plan, and also have some staff with advanced training in specialized treatment approaches, but this is not part of the program's training plan. | Trained in these skills per agency strategic training plan, and also have staff with advanced training in specialized treatment approaches as part of plan. |
| VIIB. Direct care staff members are cross-trained in mental health and substance use disorders, including pharmacotherapies, and have advanced specialized training in treatment of persons with co-occurring disorders. | Not trained, or not documented. | At least 33% trained.   | At least 50% trained  | At least 75% are trained  | At least 90% are trained.   |

ADDITIONAL SITE VISIT NOTES:

## DUAL DIAGNOSIS CAPABILITY IN MENTAL HEALTH TREATMENT PROGRAMS (DDCMHT) VERSION 3.2

### SCORING SUMMARY

| I. Program Structure         A.         B.         C.         D.   | IV. Clinical Process: Treatment         A.          B.          C.          D.          E.                                      | V. Continuity of Care         A.                            |
|--|---|---|
| Sum Total =<br>/4 = <b>SCORE</b>   | F<br>G<br>H.  | Sum Total =   |
| II. Program Milieu  A. B.  Sum Total = /2 = SCORE  | I. J. Sum Total =   | VI. Staffing         A.          B.          C.          D. |
| III. Clinical Process: Assessment         A.          B.          C.          D.          E.          F.          G. | DDCMHT INDEX PROGRAM CATEGORY: SCALE METHOD  OVERALL SCORE (Sum of Scale Scores/7):  DUAL DIAGNOSIS CAPABILITY: MHOS (1 - 1.99) | E Sum Total = /5 = SCORE  VII. Training A B Sum Total =     |
| Sum Total =/7 = <b>SCORE</b>   | DDCMHT INDEX PROGRAM CATEGORY: CRITERION METHOD   | /2 = <b>SCORE</b>   |
|  | % CRITERIA MET FOR MHOS (# of "1" or > /35):  |   |
|  | HIGHEST LEVEL OF DD CAPABILITY (80% or more):   |   |